



[Go to Product page](#)

Datasheet for ABIN6743015

anti-STAU1/Staufen antibody (AA 36-85)

1 Image

Overview

Quantity:	100 µL
Target:	STAU1/Staufen (STAU1)
Binding Specificity:	AA 36-85
Reactivity:	Human, Horse, Guinea Pig, Pig, Bat, Monkey, Chicken
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This STAU1/Staufen antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide located between aa36-85 of human STAU1 (O95793, NP_059347). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Marmoset, Panda, Bat, Horse, Pig, Opossum, Turkey, Zebra finch, Chicken (100%), Bovine, Platypus, Lizard (92%), Guinea pig, Xenopus (85%). Type of Immunogen: Synthetic peptide
Specificity:	Human STAU1 / Staufen
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Horse, Chicken (100%) Bovine (92%) Guinea pig, Xenopus (85%).
Purification:	Immunoaffinity purified

Target Details

Target:	STAU1/Staufen (STAU1)
Alternative Name:	STAU1 / Staufen (STAU1 Products)
Background:	Name/Gene ID: STAU1 Synonyms: STAU1, Staufen, STAU
Gene ID:	6780
NCBI Accession:	NP_059347
UniProt:	O95793
Pathways:	Asymmetric Protein Localization

Application Details

Application Notes:	Approved: WB (0.2 - 1 µg/mL) Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody. Not recommended for: IHC-P
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C, -20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



Image 1.