

Datasheet for ABIN6743148

anti-STUB1 antibody (N-Term)





Go to Product page

	ve	rvi	0	W
\cup	VC	I V I	\sim	v v

Quantity:	100 μL
Target:	STUB1
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Guinea Pig, Monkey, Bat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This STUB1 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	Synthetic peptide from N-Terminus of human STUB1 (Q9UNE7, NP_005852). Percent identity
	by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Galago, Marmoset, Mouse, Rat, Bat,
	by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Galago, Marmoset, Mouse, Rat, Bat, Opossum, Guinea pig (100%), Bovine, Pig, Zebrafish (92%), Chicken, Stickleback (85%), Xenopus (82%).
	Opossum, Guinea pig (100%), Bovine, Pig, Zebrafish (92%), Chicken, Stickleback (85%), Xenopus
	Opossum, Guinea pig (100%), Bovine, Pig, Zebrafish (92%), Chicken, Stickleback (85%), Xenopus
Specificity:	Opossum, Guinea pig (100%), Bovine, Pig, Zebrafish (92%), Chicken, Stickleback (85%), Xenopus (82%).
Specificity: Predicted Reactivity:	Opossum, Guinea pig (100%), Bovine, Pig, Zebrafish (92%), Chicken, Stickleback (85%), Xenopus (82%). Type of Immunogen: Synthetic peptide

Target Details

Target:	STUB1	
Alternative Name:	STUB1 / CHIP (STUB1 Products)	
Background:	Name/Gene ID: STUB1	
	Synonyms: STUB1, Antigen NY-CO-7, CHIP, HSPABP2, NY-CO-7, SDCCAG7, UBOX1, CLL-associated antigen KW-8	
Gene ID:	10273	
NCBI Accession:	NP_005852	
UniProt:	Q9UNE7	
Pathways:	Regulation of Hormone Metabolic Process, Response to Water Deprivation	
Application Details		
Application Notes:	Approved: WB (0.2 - 1 μg/mL)	
	Usage: Western Blot: Suggested dilution at 1 μ g/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.	
Comment:	Target Species of Antibody: Human	
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Reconstitution:	Distilled water	
Concentration:	Lot specific	
Buffer:	Lyophilized from PBS with 2 % sucrose	
Handling Advice:	Avoid repeat freeze-thaw cycles.	
Storage:	4 °C,-20 °C	
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.	



Image 1.