



[Go to Product page](#)

Datasheet for ABIN6743149  
**anti-RNF6 antibody (AA 72-121)**

1 Image

### Overview

Quantity:	100 µL
Target:	RNF6
Binding Specificity:	AA 72-121
Reactivity:	Human, Horse, Pig, Cow, Dog
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RNF6 antibody is un-conjugated
Application:	Western Blotting (WB)

### Product Details

Immunogen:	Synthetic peptide located between aa72-121 of human RNF6 (Q9Y252, NP_005968). Percent identity by BLAST analysis: Human, Gorilla, Gibbon (100%), Orangutan, Monkey, Panda, Rabbit (92%), Dog, Bat, Horse, Pig (85%), Bovine (84%).  Type of Immunogen: Synthetic peptide
Specificity:	Human RNF6
Predicted Reactivity:	Percent identity by BLAST analysis: Human (100%) Dog, Horse, Pig (85%) Bovine, Rabbit (84%).
Purification:	Immunoaffinity purified

### Target Details

Target:	RNF6
---------	------

## Target Details

---

Alternative Name:	<a href="#">RNF6 (RNF6 Products)</a>
Background:	Name/Gene ID: RNF6  Synonyms: RNF6, SPG2, RING-H2 protein RNF-6
Gene ID:	6049
NCBI Accession:	<a href="#">NP_005968</a>
UniProt:	<a href="#">Q9Y252</a>
Pathways:	<a href="#">Intracellular Steroid Hormone Receptor Signaling Pathway</a> , <a href="#">Regulation of Intracellular Steroid Hormone Receptor Signaling</a> , <a href="#">Regulation of Cell Size</a>

## Application Details


---

Application Notes:	Approved: WB (0.2 - 1 µg/mL)  Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

## Handling

---

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C, -20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)  Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



**Image 1.**