



[Go to Product page](#)

Datasheet for ABIN6743284  
**anti-PDAP1 antibody (N-Term)**

1 Image

Overview

Quantity:	100 µL
Target:	PDAP1
Binding Specificity:	N-Term
Reactivity:	Human, Guinea Pig, Horse, Rabbit, Zebrafish (Danio rerio), Cow, Dog, Monkey, Pig, Bat, Chicken
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PDAP1 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide from N-Terminus of human PDAP1 (Q13442, NP_055706). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Marmoset, Elephant, Dog, Bovine, Bat, Rabbit, Horse, Pig, Opossum, Guinea pig, Turkey, Zebra finch, Chicken, Platypus (100%), Mouse, Rat, Hamster, Xenopus (92%), Zebrafish (85%), Drosophila (83%).  Type of Immunogen: Synthetic peptide
Specificity:	Human PDAP1
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Dog, Bovine, Rabbit, Horse, Guinea pig, Chicken (100%) Mouse (92%) Zebrafish (85%).
Purification:	Immunoaffinity purified

## Target Details

---

Target:	PDAP1
Alternative Name:	PDAP1 ( <a href="#">PDAP1 Products</a> )
Background:	Name/Gene ID: PDAP1  Synonyms: PDAP1, HASPP28, PAP, PAP1, PDGF-associated protein, PDGFA associated protein 1, PDGFA-associated protein 1
Gene ID:	11333
NCBI Accession:	<a href="#">NP_055706</a>
UniProt:	<a href="#">Q13442</a>
Pathways:	<a href="#">Platelet-derived growth Factor Receptor Signaling</a>

## Application Details

---

Application Notes:	Approved: WB (0.2 - 1 µg/mL)  Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

## Handling

---

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)  Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



**Image 1.**