antibodies .- online.com







anti-AWAT1 antibody (AA 107-156)



Image



()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Purification:

Quantity:	100 μL
Target:	AWAT1
Binding Specificity:	AA 107-156
Reactivity:	Human, Mouse, Rat, Cow, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This AWAT1 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	Synthetic peptide located between aa107-156 of human AWAT1 (Q58HT5, NP_001013597).
	Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Galago,
	Mouse, Rat (100%), Dog, Bat, Horse, Guinea pig, Catfish, Zebrafish (92%), Elephant, Bovine,
	Turkey, Zebra finch, Chicken, Xenopus (85%), Marmoset, Opossum, Stickleback (84%).
	Type of Immunogen: Synthetic peptide
Specificity:	Human AWAT1
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat (100%) Dog, Guinea pig (92%) Bovine (85%).

Immunoaffinity purified

Target Details

Target:	AWAT1
Alternative Name:	AWAT1 / DGAT2L3 (AWAT1 Products)
Background:	Name/Gene ID: AWAT1
	Synonyms: AWAT1, DGAT2L3, DGA2
Gene ID:	Synonyms: AWAT1, DGAT2L3, DGA2 158833
Gene ID: NCBI Accession:	

Application Details

Application Notes:	Approved: WB (0.2 - 1 μg/mL)
	Usage: Western Blot: Suggested dilution at 1 μ g/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)
	Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.




Image 1.