

Datasheet for ABIN6743592
anti-DCK antibody (AA 108-157)[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	DCK
Binding Specificity:	AA 108-157
Reactivity:	Human, Mouse, Rat, Rabbit, Dog, Guinea Pig, Monkey, Hamster
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DCK antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide located between aa108-157 of human DCK (P27707, NP_000779). Percent identity by BLAST analysis: Human, Gorilla, Gibbon, Monkey, Marmoset, Mouse, Hamster, Rabbit, Guinea pig (100%), Galago, Elephant, Bovine, Bat, Pig (92%), Rat, Dog, Horse (85%). Type of Immunogen: Synthetic peptide
Specificity:	Human DCK
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rabbit, Guinea pig (100%) Bovine (92%) Rat, Dog (85%).
Purification:	Immunoaffinity purified

Target Details

Target:	DCK
Alternative Name:	DCK / Deoxycytidine kinase (DCK Products)
Background:	Name/Gene ID: DCK Synonyms: DCK, Deoxynucleoside kinase, Deoxycytidine kinase
Gene ID:	1633
NCBI Accession:	NP_000779
UniProt:	P27707

Application Details

Application Notes:	Approved: WB (0.2 - 1 µg/mL) Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C, -20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.




Image 1.