antibodies .- online.com





anti-Cytochrome C1 antibody (C-Term)

 $100 \, \mu L$



Image



Overview

Quantity:

Target:	Cytochrome C1 (CYC1)
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rat, Cow, Dog, Guinea Pig, Horse, Monkey, Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Cytochrome C1 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	Synthetic peptide from C-Terminus of human CYC1 (P08574, NP_001907). Percent identity by
	BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Marmoset, Mouse, Rat,
	Elephant, Dog, Bovine, Horse, Pig, Opossum, Guinea pig (100%), Xenopus, Catfish, Salmon,
	Stickleback, Pufferfish, Zebrafish (92%).
	Type of Immunogen: Synthetic peptide
Specificity:	Human CYC1
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Rat, Dog, Bovine, Horse, Guinea pig (100%)
	Xenopus, Zebrafish (92%).
Purification:	Immunoaffinity purified

Target Details

Target:	Cytochrome C1 (CYC1)
Alternative Name:	CYC1 / Cytochrome C-1 (CYC1 Products)
Background:	Name/Gene ID: CYC1
	Synonyms: CYC1, Complex III subunit 4, Cytochrome c-1, UQCR4, Complex III subunit IV
Gene ID:	1537
Gene ID: NCBI Accession:	

Application Details

Application Notes:	Approved: WB (0.2 - 1 μg/mL)
	Usage: Western Blot: Suggested dilution at 1 μ g/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long
	term use (up to 1 year)
	Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.




Image 1.