



[Go to Product page](#)

Datasheet for ABIN6743646
anti-TSGA13 antibody (C-Term)

1 Image

Overview

| | |
|----------------------|---------------------------------------|
| Quantity: | 100 µL |
| Target: | TSGA13 |
| Binding Specificity: | C-Term |
| Reactivity: | Human, Guinea Pig |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This TSGA13 antibody is un-conjugated |
| Application: | Western Blotting (WB) |

Product Details

| | |
|-----------------------|--|
| Immunogen: | Synthetic peptide from C-Terminus of human TSGA13 (Q96PP4, NP_443165). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Monkey (100%), Gibbon, Marmoset, Elephant (92%), Bat (90%), Bovine (85%). Type of Immunogen: Synthetic peptide |
| Specificity: | Human TSGA13 |
| Predicted Reactivity: | Percent identity by BLAST analysis: |
| Purification: | Immunoaffinity purified |

Target Details

| | |
|---------|--------|
| Target: | TSGA13 |
|---------|--------|

Target Details

Alternative Name: TSGA13 ([TSGA13 Products](#))

Background: Name/Gene ID: TSGA13

Synonyms: TSGA13, Testis specific, 13, Testis-specific A13

Gene ID: 114960

NCBI Accession: [NP_443165](#)

UniProt: [Q96PP4](#)

Application Details

Application Notes: Approved: WB (0.2 - 1 µg/mL)

Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.

Comment: Target Species of Antibody: Human

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: Distilled water

Concentration: Lot specific

Buffer: Lyophilized from PBS with 2 % sucrose

Handling Advice: Avoid repeat freeze-thaw cycles.

Storage: 4 °C, -20 °C

Storage Comment: Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.




Image 1.