



[Go to Product page](#)

Datasheet for ABIN6743677
anti-TIGD4 antibody (AA 71-120)

1 Image

Overview

Quantity:	100 µL
Target:	TIGD4
Binding Specificity:	AA 71-120
Reactivity:	Human, Mouse, Rat, Cow, Dog, Guinea Pig, Horse, Monkey, Bat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TIGD4 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide located between aa71-120 of human TIGD4 (Q8IY51, NP_663772). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Galago, Marmoset, Mouse, Rat, Elephant, Panda, Dog, Bovine, Bat, Horse, Opossum, Guinea pig (100%), Zebra finch (91%). Type of Immunogen: Synthetic peptide
Specificity:	Human TIGD4
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat, Dog, Bovine, Horse, Guinea pig (100%).
Purification:	Immunoaffinity purified

Target Details

Target:	TIGD4
Alternative Name:	TIGD4 (TIGD4 Products)
Background:	Name/Gene ID: TIGD4 Synonyms: TIGD4
Gene ID:	201798
NCBI Accession:	NP_663772
UniProt:	Q8IY51

Application Details

Application Notes:	Approved: WB (0.2 - 1 µg/mL) Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C, -20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



Image 1.