Datasheet for ABIN6743803

anti-KIFAP3 antibody (AA 683-732)

1 Image

Go to Product page

Overview

Quantity:	100 µL
Target:	KIFAP3
Binding Specificity:	AA 683-732
Reactivity:	Human, Mouse, Rat, Rabbit, Cow, Guinea Pig, Horse, Monkey, Pig, Bat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This KIFAP3 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide located between aa683-732 of human KIFAP3 (Q92845, NP_055785). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Orangutan, Gibbon, Monkey, Galago, Marmoset, Mouse, Rat, Elephant, Bovine, Bat, Rabbit, Horse, Pig, Opossum, Guinea pig (100%), Dog (92%), Turkey, Chicken (85%). Type of Immunogen: Synthetic peptide
Specificity:	Human KIFAP3
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat, Bovine, Rabbit, Horse, Pig, Guinea pig (100%) Dog (92%) Chicken (85%).
Purification:	Immunoaffinity purified

Copyright antibodies-online. All rights reserved.

Target Details

Target:	KIFAP3
Alternative Name:	KIFAP3 / KAP3 (KIFAP3 Products)
Background:	Name/Gene ID: KIFAP3 Synonyms: KIFAP3, DJ190I16.1, FLA3, KIF3AP, KAP-1, KAP-3, Smg GDS-associated protein, Smg-GDS, SMAP, KAP3, Kinesin-associated protein 3
Gene ID:	22920
NCBI Accession:	NP_055785
UniProt:	Q92845
Pathways:	Hedgehog Signaling, Sensory Perception of Sound

Application Details

Application Notes:	Approved: WB (0.2 - 1 µg/mL) Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

Copyright antibodies-online. All rights reserved.



Image 1.

 Copyright antibodies-online. All rights reserved.