antibodies -online.com





anti-S100PBP antibody (C-Term)



Image



| Overview |
|----------|
|----------|

| Overview | |
|-----------------------|--|
| Quantity: | 100 μL |
| Target: | S100PBP |
| Binding Specificity: | C-Term |
| Reactivity: | Human, Mouse, Dog, Horse, Rabbit |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This S100PBP antibody is un-conjugated |
| Application: | Western Blotting (WB) |
| Product Details | |
| Immunogen: | Synthetic peptide from C-Terminus of human S100PBP (A8MTZ6). Percent identity by BLAST |
| | analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey (100%), Marmoset (92%), Elephant, |
| | Horse (85%), Mouse, Rat, Hamster, Dog, Bovine (84%). |
| | Type of Immunogen: Synthetic peptide |
| Specificity: | Human S100PBP |
| Predicted Reactivity: | Percent identity by BLAST analysis: Human (100%) Horse (85%) Mouse, Dog (84%). |
| Purification: | Immunoaffinity purified |
| Target Details | |
| Target: | S100PBP |

Target Details

| Alternative Name: | S100PBP (S100PBP Products) |
|---------------------|---|
| Background: | Name/Gene ID: S100PBP |
| | Synonyms: S100PBP, S100P-binding protein, S100P-binding protein Riken, S100P binding protein, S100P binding protein 1, S100PBPR |
| Gene ID: | 64766 |
| UniProt: | Q96BU1 |
| Application Datails | |

Application Details

| Application Notes: | Approved: WB (0.2 - 1 μg/mL) |
|--------------------|---|
| | Usage: Western Blot: Suggested dilution at 1 μ g/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody. |
| Comment: | Target Species of Antibody: Human |
| Restrictions: | For Research Use only |

Handling

| Format: | Lyophilized |
|------------------|---|
| Reconstitution: | Distilled water |
| Concentration: | Lot specific |
| Buffer: | Lyophilized from PBS with 2 % sucrose |
| Handling Advice: | Avoid repeat freeze-thaw cycles. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles. |




Image 1.