antibodies - online.com







anti-MPP3 antibody (AA 431-480)



Image



()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Purification:

Quantity:	100 μL
Target:	MPP3
Binding Specificity:	AA 431-480
Reactivity:	Human, Mouse, Cow, Pig, Rabbit, Chicken
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MPP3 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	Synthetic peptide located between aa431-480 of human MPP3 (Q13368, NP_001923). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Marmoset, Mouse, Elephant, Bovine, Pig, Opossum, Turkey, Chicken, Lizard (100%), Monkey, Galago, Rat, Panda, Dog, Bat, Horse, Guinea pig, Seabass (92%), Rabbit (85%), Zebrafish (84%).
	Type of Immunogen: Synthetic peptide
Specificity:	Human MPP3

Immunoaffinity purified

Target Details

Target:	MPP3	
Alternative Name:	MPP3 / MMP-3 (MPP3 Products)	
Background:	Name/Gene ID: MPP3 Family: MAGUK	
	Synonyms: MPP3, Discs large homolog 3, Discs, large homolog 3, Protein MPP3, MAGUK p55 subfamily member 3	
Gene ID:	4356	
NCBI Accession:	NP_001923	
UniProt:	Q13368	

Application Details

Application Notes:	Approved: WB (0.2 - 1 μg/mL)
	Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only
Handling	
Format:	Lucan la iliana al
i Oiiiiat.	Lyophilized
Reconstitution:	Distilled water
Reconstitution:	Distilled water
Reconstitution: Concentration:	Distilled water Lot specific
Reconstitution: Concentration: Buffer:	Distilled water Lot specific Lyophilized from PBS with 2 % sucrose

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

term use (up to 1 year)




Image 1.