



## Datasheet for ABIN6744111 **anti-PINX1 antibody (AA 35-84)**



[Go to Product page](#)

### 1 Image

#### Overview

Quantity:	100 µL
Target:	PINX1
Binding Specificity:	AA 35-84
Reactivity:	Human, Mouse, Rat, Cow, Pig, Horse, Rabbit, Guinea Pig, Monkey, Bat, Hamster
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PINX1 antibody is un-conjugated
Application:	Western Blotting (WB)

#### Product Details

Immunogen:	Synthetic peptide located between aa35-84 of human PINX1 (Q96BK5, NP_060354). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Marmoset, Mouse, Rat, Hamster, Panda, Bovine, Bat, Rabbit, Horse, Pig, Opossum, Guinea pig, Zebra finch (100%), Turkey, Chicken (92%), Xenopus (85%).  Type of Immunogen: Synthetic peptide
Specificity:	Human PINX1
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat, Bovine, Horse, Pig, Guinea pig (100%) Chicken (92%) Xenopus (85%).
Purification:	Immunoaffinity purified

## Target Details

---

Target:	PINX1
Alternative Name:	PINX1 ( <a href="#">PINX1 Products</a> )
Background:	Name/Gene ID: PINX1  Synonyms: PINX1, 67-11-3 protein, LPTS, PIN2 interacting protein 1, Pin2-interacting protein X1, LPTL, PIN2-interacting protein 1, Protein 67-11-3, TRF1-interacting protein 1
Gene ID:	54984
NCBI Accession:	<a href="#">NP_060354</a>
UniProt:	<a href="#">Q96BK5</a>

## Application Details


---

Application Notes:	Approved: WB (0.2 - 1 µg/mL)  Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

## Handling

---

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C, -20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)  Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



**Image 1.**