# antibodies -online.com





# anti-Acylglycerol Kinase antibody (AA 107-156)



Image



#### Overview

Quantity:	100 μL
Target:	Acylglycerol Kinase (AGK)
Binding Specificity:	AA 107-156
Reactivity:	Human, Mouse, Rat, Rabbit, Dog, Guinea Pig, Hamster, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Acylglycerol Kinase antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	Synthetic peptide located between aa107-156 of human AGK (Q53H12, NP_060708). Percent
	identity by BLAST analysis: Human, Chimpanzee, Gorilla, Orangutan, Gibbon, Monkey,
	Marmoset, Mouse, Rat, Hamster, Guinea pig (100%), Galago, Bovine, Horse, Pig (92%), Elephant,
	Dog, Rabbit (85%), Bat (84%).
	Type of Immunogen: Synthetic peptide
Specificity:	Human AGK
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat, Guinea pig (100%) Bovine, Horse, Pig
	(92%) Dog, Rabbit (85%).
Purification:	Immunoaffinity purified

## **Target Details**

Target:	Acylglycerol Kinase (AGK)
Alternative Name:	AGK (AGK Products)
Background:	Name/Gene ID: AGK
	Subfamily: Diacylglycerol kinase
	Family: Non-protein Kinase
	Synonyms: AGK, Acylglycerol kinase, CATC5, HAGK, MTDPS10, Multi-substrate lipid kinase, MULK, HsMuLK
Gene ID:	55750
NCBI Accession:	NP_060708
UniProt:	Q53H12
Application Dataila	

### **Application Details**

Storage Comment:

Application Notes:	Approved: WB (0.2 - 1 μg/mL)
	Usage: Western Blot: Suggested dilution at 1 $\mu$ g/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

term use (up to 1 year)

Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long




Image 1.