

Datasheet for ABIN6744339
anti-FLIP antibody (AA 180-229)



[Go to Product page](#)

1 Image

Overview

| | |
|----------------------|-------------------------------------|
| Quantity: | 100 µL |
| Target: | FLIP (CFLAR) |
| Binding Specificity: | AA 180-229 |
| Reactivity: | Human, Monkey |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This FLIP antibody is un-conjugated |
| Application: | Western Blotting (WB) |

Product Details

| | |
|-----------------------|--|
| Immunogen: | Synthetic peptide located between aa180-229 of human CFLAR (O15519, NP_003870). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Marmoset (100%). Type of Immunogen: Synthetic peptide |
| Specificity: | Human CFLAR / FLIP |
| Predicted Reactivity: | Percent identity by BLAST analysis: Human (100%). |
| Purification: | Immunoaffinity purified |

Target Details

| | |
|-------------------|---|
| Target: | FLIP (CFLAR) |
| Alternative Name: | CFLAR / FLIP (CFLAR Products) |

Target Details

| | |
|-----------------|--|
| Background: | Name/Gene ID: CFLAR |
| | Subfamily: Cysteine C14 |
| | Family: Apoptosis |
| | Synonyms: CFLAR, C-FLIPR, C-FLIPS, C-FLIP, CASP8AP1, Cflip, CLARP, CASH, Caspase homolog, Caspase-eight-related protein, Flice inhibitory protein, I-FLICE, Inhibitor of FLICE, FLAME, FLAME1, MRIT, Usurpin beta, C-FLIPL, Casper, FLAME-1, FLIP, Usurpin |
| Gene ID: | 8837 |
| NCBI Accession: | NP_003870 |
| UniProt: | O15519 |
| Pathways: | Apoptosis , Regulation of Muscle Cell Differentiation , Skeletal Muscle Fiber Development |

Application Details

| | |
|--------------------|--|
| Application Notes: | Approved: WB (0.2 - 1 µg/mL) |
| | Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody. |
| Comment: | Target Species of Antibody: Human |
| Restrictions: | For Research Use only |

Handling

| | |
|------------------|--|
| Format: | Lyophilized |
| Reconstitution: | Distilled water |
| Concentration: | Lot specific |
| Buffer: | Lyophilized |
| Handling Advice: | Avoid repeat freeze-thaw cycles. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) |
| | Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles. |



Image 1.