



[Go to Product page](#)

Datasheet for ABIN6744491

anti-NCOA3 antibody (AA 71-120)

1 Image

Overview

Quantity:	100 µL
Target:	NCOA3
Binding Specificity:	AA 71-120
Reactivity:	Human, Rat, Cow, Dog, Guinea Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NCOA3 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide located between aa71-120 of human NCOA3 (Q0VF45, NP_006525). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Rat, Dog (100%), Galago, Marmoset, Mouse, Bat, Rabbit, Horse (92%), Elephant, Guinea pig, Turkey, Zebra finch, Xenopus (85%). Type of Immunogen: Synthetic peptide
Specificity:	Human NCOA3
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Dog (100%) Mouse, Rat, Rabbit, Horse (92%) Guinea pig, Xenopus (85%).
Purification:	Immunoaffinity purified

Target Details

Target:	NCOA3
Alternative Name:	NCOA3 / SRC-3 / AIB1 (NCOA3 Products)
Background:	Name/Gene ID: NCOA3 Synonyms: NCOA3, ACTR, AIB1, BHLHe42, CAGH16, CBP-interacting protein, CTG26, AIB-1, P/CIP, TNRC14, TRAM-1, Nuclear receptor coactivator 3, PCIP, RAC-3, SRC3, TNRC16, KAT13B, NCoA-3, SRC-3
Gene ID:	8202
NCBI Accession:	NP_006525
UniProt:	Q9Y6Q9
Pathways:	Intracellular Steroid Hormone Receptor Signaling Pathway , Regulation of Intracellular Steroid Hormone Receptor Signaling , Regulation of Lipid Metabolism by PPARalpha

Application Details

Application Notes:	Approved: WB (0.2 - 1 µg/mL) Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)

Handling

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

Images



Image 1.