antibodies -online.com





anti-ACCN4 antibody (AA 484-533)





Go to Product page

()	11/	IN	/ie	A .
	/ // 	۱ ات	/ (−	' \/\/

Quantity:	100 μL ACCN4 AA 484-533	
Target:		
Binding Specificity:		
Reactivity:	Human, Rat, Mouse, Dog, Cow, Guinea Pig, Horse, Rabbit, Zebrafish (Danio rerio), Bat, Monkey, Pig	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ACCN4 antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	Synthetic peptide located between aa484-533 of human ASIC4 (Q96FT7). Percent identity by	
	BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Baboon, Monkey, Galago, Marmoset,	
	Mouse, Rat, Elephant, Panda, Dog, Bovine, Bat, Rabbit, Horse, Pig, Guinea pig, Armadillo (100%),	
	Turkey, Zebra finch, Chicken, Xenopus (92%), Lizard (85%).	
	Type of Immunogen: Synthetic peptide	
Specificity:	Human ACCN4	
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat, Dog, Bovine, Rabbit, Horse, Guinea pig (100%) Chicken (92%).	

Target Details

rarget Details			
Target:	ACCN4		
Alternative Name:	ACCN4 / ASIC4 (ACCN4 Products)		
Background:	Name/Gene ID: ASIC4		
	Subfamily: Sodium channel - amiloride-sensitive		
	Family: Ion Channel		
	Synonyms: ASIC4, ACCN4, Acid-sensing ion channel 4, BNAC4, Brain sodium channel 4, Spasic		
Gene ID:	55515		
Application Details			
Application Notes:	Approved: WB (0.2 - 1 μg/mL)		
	Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP		
	conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.		
Comment:	Target Species of Antibody: Human		
Restrictions:	For Research Use only		
Handling			
Format:	Lyophilized		
Reconstitution:	Distilled water		
Concentration:	Lot specific		
Buffer:	Lyophilized from PBS with 2 % sucrose		
Handling Advice:	Avoid repeat freeze-thaw cycles.		
Storage:	4 °C,-20 °C		
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long		

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

term use (up to 1 year)




Image 1.