

Datasheet for ABIN674459

anti-NFKBIA antibody (AA 1-120) (Cy5.5)



Go to Product page

V-	r\/	ID	۱۸/	

Quantity:	100 μL	
Target:	NFKBIA	
Binding Specificity:	AA 1-120	
Reactivity:	Human, Mouse, Rat, Cow, Chicken	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This NFKBIA antibody is conjugated to Cy5.5	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Flow Cytometry (FACS)	
	(i didinii embedded ocollons) (ii (p)), now oylometry (i 7000)	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from mouse IKB alpha	
Isotype:	IgG	
Cross-Reactivity:	Chicken, Cow, Human, Mouse, Rat	
Purification:	Purified by Protein A.	
Target Details		
Target:	NFKBIA	
Alternative Name:	NFKBIA/IKB alpha (NFKBIA Products)	
Background:	Synonyms: Nfkbi, Al46215, NF-kappa-B inhibitor alpha, I-kappa-B-alpha, IkB-alpha,	
•		

Expiry Date:

Target Details		
	IkappaBalpha, Nfkbia, Ikba Background: Inhibits the activity of dimeric NF-kappa-B/REL complexes by trapping REL dimers in the cytoplasm through masking of their nuclear localization signals. On cellular stimulation by immune and proinflammatory responses, becomes phosphorylated promoting ubiquitination and degradation, enabling the dimeric RELA to translocate to the nucleus and activate transcription.	
Gene ID:	18035	
UniProt:	Q9Z1E3	
Pathways:	NF-kappaB Signaling, TCR Signaling, TLR Signaling, Fc-epsilon Receptor Signaling Pathway, Activation of Innate immune Response, Cellular Response to Molecule of Bacterial Origin, Maintenance of Protein Location, Hepatitis C, Protein targeting to Nucleus, Toll-Like Receptors Cascades, BCR Signaling	
Application Details		
Application Notes:	FCM 1:20-100 IF(IHC-P) 1:50-200 IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	

12 months