



[Go to Product page](#)

Datasheet for ABIN6744681  
**anti-FOXH1 antibody (N-Term)**

1 Image

Overview

Quantity:	100 µL
Target:	FOXH1
Binding Specificity:	N-Term
Reactivity:	Human, Cow, Pig, Rabbit, Bat, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FOXH1 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide from N-Terminus of human FOXH1 (O75593, NP_003914). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Marmoset, Bat (100%), Galago, Horse (92%), Panda, Dog (91%), Elephant, Bovine (85%), Pig (83%).  Type of Immunogen: Synthetic peptide
Specificity:	Human FOXH1
Predicted Reactivity:	Percent identity by BLAST analysis: Human (100%) Dog (91%) Bovine (85%) Pig (83%).
Purification:	Immunoaffinity purified

Target Details

Target:	FOXH1
---------	-------

## Target Details

---

Alternative Name:	FOXH1 ( <a href="#">FOXH1 Products</a> )
Background:	Name/Gene ID: FOXH1 Family: Transcription factor  Synonyms: FOXH1, Fast-2, FAST2, FAST-1, FAST1, Forkhead box H1, Forkhead box protein H1, HFAST-1
Gene ID:	8928
NCBI Accession:	<a href="#">NP_003914</a>
UniProt:	<a href="#">O75593</a>
Pathways:	<a href="#">Intracellular Steroid Hormone Receptor Signaling Pathway</a> , <a href="#">Regulation of Intracellular Steroid Hormone Receptor Signaling</a>

## Application Details

---

Application Notes:	Approved: WB (0.2 - 1 µg/mL)  Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

## Handling

---

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C, -20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



**Image 1.**