



[Go to Product page](#)

Datasheet for ABIN6744703  
**anti-RBM11 antibody (C-Term)**

1 Image

Overview

|                      |                                      |
|----------------------|--------------------------------------|
| Quantity:            | 100 µL                               |
| Target:              | RBM11                                |
| Binding Specificity: | C-Term                               |
| Reactivity:          | Human, Cow, Dog, Horse, Monkey       |
| Host:                | Rabbit                               |
| Clonality:           | Polyclonal                           |
| Conjugate:           | This RBM11 antibody is un-conjugated |
| Application:         | Western Blotting (WB)                |

Product Details

|                       |  |
|-----------------------|--|
| Immunogen:            | Synthetic peptide from C-Terminus of human RBM11 (P57052, NP_658983). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Marmoset (100%), Elephant, Guinea pig (92%), Panda, Dog, Bovine, Horse (85%), Bat (80%).<br><br>Type of Immunogen: Synthetic peptide |
| Specificity:          | Human RBM11  |
| Predicted Reactivity: | Percent identity by BLAST analysis: Human (100%) Guinea pig (92%) Dog, Bovine, Horse (85%).  |
| Purification:         | Immunoaffinity purified  |

Target Details

|         |       |
|---------|-------|
| Target: | RBM11 |
|---------|-------|

## Target Details

---

Alternative Name: [RBM11 \(RBM11 Products\)](#)

Background: Name/Gene ID: RBM11

Synonyms: RBM11, RNA binding motif protein 11, RNA-binding motif protein 11, Splicing regulator RBM11

Gene ID: 54033

NCBI Accession: [NP\\_658983](#)

UniProt: [P57052](#)

## Application Details

---

Application Notes: Approved: WB (0.2 - 1 µg/mL)

Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.

Comment: Target Species of Antibody: Human

Restrictions: For Research Use only

## Handling

---

Format: Lyophilized

Reconstitution: Distilled water

Concentration: Lot specific

Buffer: Lyophilized from PBS with 2 % sucrose

Handling Advice: Avoid repeat freeze-thaw cycles.

Storage: 4 °C, -20 °C

Storage Comment: Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



**Image 1.**