

Datasheet for ABIN6744864
anti-SLC10A3 antibody (AA 287-336)



[Go to Product page](#)

1 Image

Overview

| | |
|----------------------|--|
| Quantity: | 100 µL |
| Target: | SLC10A3 |
| Binding Specificity: | AA 287-336 |
| Reactivity: | Human, Mouse, Rat, Horse, Bat |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This SLC10A3 antibody is un-conjugated |
| Application: | Western Blotting (WB) |

Product Details

| | |
|-----------------------|---|
| Immunogen: | Synthetic peptide located between aa287-336 of human SLC10A3 (P09131, NP_062822). Percent identity by BLAST analysis: Human, Gorilla, Gibbon, Galago, Mouse, Rat, Panda, Bat, Horse (100%), Baboon, Monkey, Marmoset, Elephant, Bovine, Guinea pig (92%), Opossum, Platypus (83%). Type of Immunogen: Synthetic peptide |
| Specificity: | Human SLC10A3 |
| Predicted Reactivity: | Percent identity by BLAST analysis: Human, Rat, Horse (100%) Guinea pig (92%). |
| Purification: | Immunoaffinity purified |

Target Details

| | |
|-------------------|---|
| Target: | SLC10A3 |
| Alternative Name: | SLC10A3 (SLC10A3 Products) |
| Background: | Name/Gene ID: SLC10A3 Subfamily: Bile acid:sodium symporter Family: Transporter Synonyms: SLC10A3, DXS253E, Protein P3, p3 protein, p3 |
| Gene ID: | 8273 |
| NCBI Accession: | NP_062822 |
| UniProt: | P09131 |

Application Details

| | |
|--------------------|--|
| Application Notes: | Approved: WB (0.2 - 1 µg/mL) Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody. |
| Comment: | Target Species of Antibody: Human |
| Restrictions: | For Research Use only |

Handling

| | |
|------------------|---|
| Format: | Lyophilized |
| Reconstitution: | Distilled water |
| Concentration: | Lot specific |
| Buffer: | Lyophilized from PBS with 2 % sucrose |
| Handling Advice: | Avoid repeat freeze-thaw cycles. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles. |




Image 1.