
antibodies -online.com





anti-PHC2 antibody (AA 35-84)



Image



Go to Product page

\sim				
	$ V \cap$	r\/I	19	٨

Quantity:	100 μL	
Target:	PHC2 (PhC2)	
Binding Specificity:	AA 35-84	
Reactivity:	Human, Mouse, Rat, Horse, Rabbit, Cow, Dog, Guinea Pig, Monkey, Bat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This PHC2 antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	Synthetic peptide located between aa35-84 of human PHC2 (Q8IXK0, NP_932157). Percent	
	identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Marmoset, Mouse,	

Product Details	
Immunogen:	Synthetic peptide located between aa35-84 of human PHC2 (Q8IXK0, NP_932157). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Marmoset, Mouse, Rat, Elephant, Panda, Dog, Bovine, Bat, Rabbit, Horse, Opossum, Guinea pig, Platypus (100%), Galago, Seabass, Zebrafish (92%), Orangutan, Hamster, Turkey, Chicken, Lizard (85%), Xenopus (84%).
	Type of Immunogen: Synthetic peptide
Specificity:	Human PHC2 / HPH2
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat, Dog, Bovine, Rabbit, Horse, Guinea pig (100%) Zebrafish (92%).
Purification:	Immunoaffinity purified

Target Details

Target:	PHC2 (PhC2)
Alternative Name:	HPH2 / PHC2 (PhC2 Products)
Background:	Name/Gene ID: PHC2
	Synonyms: PHC2, EDR2, Polyhomeotic 2, Polyhomeotic-like 2, Polyhomeotic-like protein 2, HPH2, PH2
Gene ID:	1912
NCBI Accession:	NP_932157
UniProt:	Q8IXK0

Application Details

Application Notes:	Approved: WB (0.2 - 1 μg/mL)	
	Usage: Western Blot: Suggested dilution at 1 μ g/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.	
Comment:	Target Species of Antibody: Human	
Restrictions:	For Research Use only	

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long
	term use (up to 1 year)
	Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.




Image 1.