antibodies .- online.com





anti-Proser3 antibody (AA 179-228)



Image



Go to Product page

()	1 /	\sim	KI /	110	Νę
	1//	\vdash	I \/	1 ←	٠// ٢

Purification:

Quantity:	100 μL
Target:	Proser3
Binding Specificity:	AA 179-228
Reactivity:	Cow, Dog, Guinea Pig, Human, Mouse, Pig, Horse, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Proser3 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Product Details Immunogen:	Synthetic peptide located between aa179-228 of human C19orf55 (Q2NL68, NP_001034976). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Marmoset, Mouse, Elephant, Panda, Dog, Bovine, Horse, Pig, Guinea pig (100%), Rat, Bat (92%), Rabbit (91%), Galago (84%).
	Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Marmoset, Mouse, Elephant, Panda, Dog, Bovine, Horse, Pig, Guinea pig (100%), Rat, Bat (92%), Rabbit (91%),
	Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Marmoset, Mouse, Elephant, Panda, Dog, Bovine, Horse, Pig, Guinea pig (100%), Rat, Bat (92%), Rabbit (91%), Galago (84%).

Immunoaffinity purified

Target Details

Target:	Proser3
Alternative Name:	PROSER3 (Proser3 Products)
Background:	Name/Gene ID: PROSER3
	Synonyms: PROSER3, C19orf55
Gene ID:	148137
NCBI Accession:	NP_001034976
UniProt:	Q2NL68

Application Details

Application Notes:	Approved: WB (0.2 - 1 μg/mL)
	Usage: Western Blot: Suggested dilution at 1 μ g/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)
	term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.




Image 1.