Datasheet for ABIN6744940

anti-HAX1 antibody (AA 107-156)

1 Image

Go to Product page

Overview

Quantity:	100 µL
Target:	HAX1
Binding Specificity:	AA 107-156
Reactivity:	Human, Guinea Pig, Horse, Cow, Rabbit, Monkey, Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HAX1 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide located between aa107-156 of human HAX1 (O00165, NP_001018238). Percent identity by BLAST analysis: Human, Chimpanzee, Gibbon, Monkey, Elephant, Bovine, Rabbit, Horse, Pig, Guinea pig (100%), Galago, Rat (92%), Mouse, Bat (91%), Zebrafish (90%), Marmoset (85%), Platypus (83%). Type of Immunogen: Synthetic peptide
Specificity:	Human HAX1
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Bovine, Rabbit, Horse (100%) Rat (92%) Mouse (91%) Zebrafish (90%).
Purification:	Immunoaffinity purified

Target Details

Target:	HAX1
Alternative Name:	HAX-1 (HAX1 Products)
Background:	Name/Gene ID: HAX1 Synonyms: HAX1, HAX-1, HCLSBP1, HS1BP1, HCLS1-associated protein X-1, HS1 binding protein, HS1-associating protein, HS1-binding protein 1, SCN3, HCLS1 associated protein X-1, HS1-associating protein X-1, HSP1BP-1
Gene ID:	10456
NCBI Accession:	NP_001018238
UniProt:	O00165
Pathways:	Regulation of Actin Filament Polymerization

Application Details

Application Notes:	Approved: WB (0.2 - 1 µg/mL) Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



Image 1.