



Datasheet for ABIN6744946 **anti-GRAP antibody (AA 143-192)**



[Go to Product page](#)

1 Image

Overview

| | |
|----------------------|--|
| Quantity: | 100 µL |
| Target: | GRAP |
| Binding Specificity: | AA 143-192 |
| Reactivity: | Human, Mouse, Rat, Cow, Guinea Pig, Horse, Bat |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This GRAP antibody is un-conjugated |
| Application: | Western Blotting (WB) |

Product Details

| | |
|-----------------------|---|
| Immunogen: | Synthetic peptide located between aa143-192 of human GRAP (Q13588, NP_006604). Percent identity by BLAST analysis: Human, Gorilla, Monkey, Mouse, Rat, Elephant, Bovine, Bat, Horse, Guinea pig, Platypus (100%), Marmoset, Panda, Dog (92%), Rabbit (85%), Zebra finch, Chicken (84%). Type of Immunogen: Synthetic peptide |
| Specificity: | Human GRAP |
| Predicted Reactivity: | Percent identity by BLAST analysis: Human, Mouse, Rat, Bovine, Horse (100%) Dog (92%) Chicken (84%). |
| Purification: | Immunoaffinity purified |

Target Details

| | |
|-------------------|--|
| Target: | GRAP |
| Alternative Name: | GRAP (GRAP Products) |
| Background: | Name/Gene ID: GRAP Synonyms: GRAP, GRB2-related adaptor protein, GRB2-related adapter protein |
| Gene ID: | 10750 |
| NCBI Accession: | NP_006604 |
| UniProt: | Q13588 |

Application Details

| | |
|--------------------|--|
| Application Notes: | Approved: WB (0.2 - 1 µg/mL) Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody. |
| Comment: | Target Species of Antibody: Human |
| Restrictions: | For Research Use only |

Handling

| | |
|------------------|---|
| Format: | Lyophilized |
| Reconstitution: | Distilled water |
| Concentration: | Lot specific |
| Buffer: | Lyophilized from PBS with 2 % sucrose |
| Handling Advice: | Avoid repeat freeze-thaw cycles. |
| Storage: | 4 °C, -20 °C |
| Storage Comment: | Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles. |




Image 1.