# antibodies - online.com







# anti-NXPH3 antibody (AA 143-192)



Image



$\sim$					
	1//	⊃r	V/I	Φ\	Λ

Quantity:	100 μL
Target:	NXPH3
Binding Specificity:	AA 143-192
Reactivity:	Human, Mouse, Rat, Dog, Horse, Cow, Guinea Pig, Rabbit, Pig, Hamster, Monkey, Bat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NXPH3 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Product Details Immunogen:	Synthetic peptide located between aa143-192 of human NXPH3 (Q9Z2N5, NP_009156).
	Synthetic peptide located between aa143-192 of human NXPH3 (Q9Z2N5, NP_009156).  Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Monkey, Marmoset, Mouse,
	Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Monkey, Marmoset, Mouse,
	Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Monkey, Marmoset, Mouse, Rat, Hamster, Elephant, Panda, Dog, Bovine, Bat, Rabbit, Horse, Pig, Opossum, Guinea pig (100%), Galago (92%).
Immunogen:	Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Monkey, Marmoset, Mouse, Rat, Hamster, Elephant, Panda, Dog, Bovine, Bat, Rabbit, Horse, Pig, Opossum, Guinea pig (100%), Galago (92%).  Type of Immunogen: Synthetic peptide
	Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Monkey, Marmoset, Mouse, Rat, Hamster, Elephant, Panda, Dog, Bovine, Bat, Rabbit, Horse, Pig, Opossum, Guinea pig (100%), Galago (92%).
Immunogen:	Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Monkey, Marmoset, Mouse, Rat, Hamster, Elephant, Panda, Dog, Bovine, Bat, Rabbit, Horse, Pig, Opossum, Guinea pig (100%), Galago (92%).  Type of Immunogen: Synthetic peptide

#### Target Details

Target:	NXPH3
Alternative Name:	NXPH3 / Neurexophilin 3 (NXPH3 Products)
Background:	Name/Gene ID: NXPH3
	Synonyms: NXPH3, KIAA1159, Neurexophilin 3, NPH3, Neurexophilin-3
Gene ID:	Synonyms: NXPH3, KIAA1159, Neurexophilin 3, NPH3, Neurexophilin-3  11248
Gene ID:  NCBI Accession:	

## **Application Details**

Application Notes:	Approved: WB (0.2 - 1 μg/mL)
	Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

## Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long
	term use (up to 1 year)
	Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.




Image 1.