



[Go to Product page](#)

Datasheet for ABIN6745015
anti-LIX1L antibody (N-Term)

1 Image

Overview

| | |
|----------------------|--|
| Quantity: | 100 µL |
| Target: | LIX1L |
| Binding Specificity: | N-Term |
| Reactivity: | Human, Mouse, Rat, Cow, Dog, Horse, Monkey |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This LIX1L antibody is un-conjugated |
| Application: | Western Blotting (WB) |

Product Details

| | |
|-----------------------|---|
| Immunogen: | Synthetic peptide from N-Terminus of human LIX1L (Q8IVB5, NP_714924). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Marmoset, Bovine, Horse (100%), Bat, Rabbit, Guinea pig (92%), Galago, Mouse, Rat, Dog (85%). Type of Immunogen: Synthetic peptide |
| Specificity: | Human LIX1L |
| Predicted Reactivity: | Percent identity by BLAST analysis: Human, Bovine, Horse (100%) Rabbit, Guinea pig (92%) Mouse, Rat, Dog (85%). |
| Purification: | Immunoaffinity purified |

Target Details

| | |
|-------------------|---|
| Target: | LIX1L |
| Alternative Name: | LIX1L (LIX1L Products) |
| Background: | Name/Gene ID: LIX1L Synonyms: LIX1L, Lix1 homolog (mouse)-like, Lix1 homolog (mouse) like, LIX1-like protein |
| Gene ID: | 128077 |
| NCBI Accession: | NP_714924 |
| UniProt: | Q8IVB5 |

Application Details

| | |
|--------------------|--|
| Application Notes: | Approved: WB (0.2 - 1 µg/mL) Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody. |
| Comment: | Target Species of Antibody: Human |
| Restrictions: | For Research Use only |

Handling

| | |
|------------------|---|
| Format: | Lyophilized |
| Reconstitution: | Distilled water |
| Concentration: | Lot specific |
| Buffer: | Lyophilized from PBS with 2 % sucrose |
| Handling Advice: | Avoid repeat freeze-thaw cycles. |
| Storage: | 4 °C, -20 °C |
| Storage Comment: | Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles. |



Image 1.