



Datasheet for ABIN6745159  
**anti-RRAGD antibody (AA 287-336)**



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	RRAGD
Binding Specificity:	AA 287-336
Reactivity:	Human, Mouse, Rat, Cow, Dog, Horse, Pig, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RRAGD antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide located between aa287-336 of human RRAGD (Q9NQL2, NP_067067). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Galago, Marmoset, Elephant, Dog, Bovine, Horse, Pig, Opossum, Platypus, Lizard (100%), Rabbit (92%), Xenopus (90%), Mouse, Rat (85%), Turkey, Zebra finch, Chicken (84%).  Type of Immunogen: Synthetic peptide
Specificity:	Human RRAGD
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Dog, Bovine, Horse, Pig (100%) Rabbit (92%) Mouse, Rat (85%) Chicken (84%).
Purification:	Immunoaffinity purified

## Target Details

---

Target:	RRAGD
Alternative Name:	RRAGD ( <a href="#">RRAGD Products</a> )
Background:	Name/Gene ID: RRAGD  Synonyms: RRAGD, Rag D, Rag D protein, BA11D8.2.1, DKFZP761H171, RAGD, Ras-related GTP binding D
Gene ID:	58528
NCBI Accession:	<a href="#">NP_067067</a>
UniProt:	<a href="#">Q9NQL2</a>

## Application Details


---

Application Notes:	Approved: WB (0.2 - 1 µg/mL)  Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

## Handling

---

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C, -20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)  Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



**Image 1.**