# antibodies -online.com





## anti-SNF8 antibody (AA 179-228)





| $C \circ + \circ$ | Draduat | nogo |
|-------------------|---------|------|
| (3() (()          | Product | Daue |

| _   |   |   |    |    |             |   |
|-----|---|---|----|----|-------------|---|
| ( ) | V | ρ | rv | 16 | $\supset I$ | Λ |
|     |   |   |    |    |             |   |

| Overview                                  |  |
|---|--|
| Quantity:                                 | 100 μL   |
| Target:                                   | SNF8   |
| Binding Specificity:                      | AA 179-228   |
| Reactivity:                               | Human, Rat, Mouse, Cow, Dog, Rabbit, Guinea Pig, Horse, Xenopus laevis, Monkey, Hamster        |
| Host:                                     | Rabbit   |
| Clonality:                                | Polyclonal   |
| Conjugate:                                | This SNF8 antibody is un-conjugated  |
| Application:                              | Western Blotting (WB)  |
| Product Details                           |  |
| las as a sa | Complete a partial language and between an 170,000 of housean CNEO (COCURO NID 000170). Demant |

| Product Details       |   |
|-----------------------|---|
| Immunogen:            | Synthetic peptide located between aa179-228 of human SNF8 (Q96H20, NP_009172). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Marmoset, Mouse, Rat, Hamster, Elephant, Panda, Dog, Bovine, Rabbit, Horse, Opossum, Guinea pig, Xenopus (100%), Bat (92%), Lizard (85%), Turkey, Chicken (84%). |
|                       | Type of Immunogen: Synthetic peptide  |
| Specificity:          | Human SNF8 / EAP30  |
| Predicted Reactivity: | Percent identity by BLAST analysis: Human, Mouse, Rat, Dog, Bovine, Guinea pig (100%)<br>Xenopus (85%) Chicken (84%).   |
| Purification:         | Immunoaffinity purified   |

#### Target Details

| Target:           | SNF8  |
|-------------------|---|
| Alternative Name: | SNF8 / EAP30 (SNF8 Products)  |
| Background:       | Name/Gene ID: SNF8  |
|                   | Synonyms: SNF8, ESCRT-II complex subunit VPS22, Dot3, EAP30, EAP30 subunit of ELL complex, VPS22, Vacuolar-sorting protein SNF8, HVps22 |
| Gene ID:          | 11267   |
| NCBI Accession:   | NP_009172   |
| UniProt:          | Q96H20  |

#### **Application Details**

| Application Notes: | Approved: WB (0.2 - 1 μg/mL)  |
|--------------------|---|
|                    | Usage: Western Blot: Suggested dilution at 1 $\mu$ g/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody. |
| Comment:           | Target Species of Antibody: Human   |
| Restrictions:      | For Research Use only   |
|                    |   |

### Handling

| Format:          | Lyophilized  |
|------------------|--|
| Reconstitution:  | Distilled water  |
| Concentration:   | Lot specific   |
| Buffer:          | Lyophilized from PBS with 2 % sucrose  |
| Handling Advice: | Avoid repeat freeze-thaw cycles.   |
| Storage:         | 4 °C,-20 °C  |
| Storage Comment: | Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long |
|                  | term use (up to 1 year)  |
|                  | Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.                                  |




Image 1.