antibodies -online.com





anti-WBP4 antibody (N-Term)





Go to Product page

\sim	
()\/△	rview
\circ	

Quantity:	100 μL
Target:	WBP4
Binding Specificity:	N-Term
Reactivity:	Human, Dog, Guinea Pig, Horse, Mouse, Rabbit, Rat, Bat, Monkey, Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This WBP4 antibody is un-conjugated
Application:	Western Blotting (WB)

Application:	Western Blotting (WB)
Product Details	
Immunogen:	Synthetic peptide from N-Terminus of human WBP4 (075554, NP_009118). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Galago, Marmoset, Mouse, Rat, Elephant, Panda, Dog, Bat, Rabbit, Horse, Pig, Opossum, Guinea pig, Platypus (100%), Bovine, Zebra finch, Stickleback (92%), Turkey, Chicken, Xenopus (85%).
Specificity:	Type of Immunogen: Synthetic peptide Human WBP4
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat, Dog, Rabbit, Horse, Pig, Guinea pig (100%) Bovine (92%) Chicken, Xenopus (85%).
Purification:	Immunoaffinity purified

Target Details

Target:	WBP4
Alternative Name:	WBP4 (WBP4 Products)
Background:	Name/Gene ID: WBP4
	Synonyms: WBP4, Formin binding protein 21, FNBP21, FBP21, WBP-4, WW domain-binding protein 4, WW domain binding protein 4, Formin-binding protein 21
Gene ID:	11193
NCBI Accession:	NP_009118
UniProt:	075554

Application Details

Application Notes:	Approved: WB (0.2 - 1 μg/mL)
	Usage: Western Blot: Suggested dilution at 1 μ g/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.




Image 1.