# antibodies -online.com





## anti-YIPF2 antibody (AA 141-190)



Image



Go to Product page

( )	ve	K\ /		A .
	$\cup$	1 V/	Щ.	V۷

Quantity:	100 μL	
Target:	YIPF2	
Binding Specificity:	AA 141-190	
Reactivity:	Human, Cow, Dog, Guinea Pig, Horse, Mouse, Rabbit, Rat, Monkey, Pig	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This YIPF2 antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	Synthetic peptide located between aa141-190 of human YIPF2 (Q9BWQ6, NP_076934). Percent	
	identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Galago, Marmoset,	
	Mouse, Rat, Elephant, Panda, Dog, Bovine, Rabbit, Horse, Pig, Guinea pig (100%), Bat (92%),	
	Lizard (91%), Platypus (84%).	
	Type of Immunogen: Synthetic peptide	
Specificity:	Human YIPF2	
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat, Dog, Bovine, Rabbit, Horse, Pig (100%).	
Purification:	Immunoaffinity purified	

#### Target Details

Target:	YIPF2
Alternative Name:	YIPF2 (YIPF2 Products)
Background:	Name/Gene ID: YIPF2
	Synonyms: YIPF2, FinGER2, Yip1 domain family, member 2, Protein YIPF2, YIP1 family member 2
Gene ID:	78992
NCBI Accession:	NP_076934
	141 <u>-07030</u> 4

#### **Application Details**

Application Notes:	Approved: WB (0.2 - 1 μg/mL)	
	Usage: Western Blot: Suggested dilution at 1 $\mu$ g/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.	
Comment:	Target Species of Antibody: Human	
Restrictions:	For Research Use only	

### Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long
	term use (up to 1 year)
	Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.




Image 1.