Datasheet for ABIN6745557

anti-AP3S1 antibody (C-Term)

Go to Product page

1 Image

Overview

Quantity:	100 µL
Target:	AP3S1
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rat, Rabbit, Cow, Dog, Guinea Pig, Horse, Monkey, Bat, Chicken
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This AP3S1 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide from C-Terminus of human AP3S1 (Q92572, NP_001275). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Monkey, Galago, Marmoset, Mouse, Rat, Elephant, Dog, Bovine, Bat, Rabbit, Horse, Opossum, Guinea pig, Turkey, Zebra finch, Chicken, Platypus (100%), Xenopus (92%), Trout, Salmon, Smelt, Pike (85%). Type of Immunogen: Synthetic peptide
Specificity:	Human AP3S1 / CLAPS3
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat, Dog, Bovine, Horse, Chicken (100%) Xenopus (92%).
Purification:	Immunoaffinity purified

Copyright antibodies-online. All rights reserved.

Target Details

Target:	AP3S1
Alternative Name:	AP3S1 (AP3S1 Products)
Background:	Name/Gene ID: AP3S1 Synonyms: AP3S1, CLAPS3, Sigma-3A-adaptin, Sigma3A, AP-3 complex sigma-3A subunit, AP-3 complex subunit sigma-1, AP-3 complex subunit sigma-3A, Sigma3A-adaptin, Sigma-adaptin 3a
Gene ID:	1176
NCBI Accession:	NP_001275
UniProt:	Q92572

Application Details

Application Notes:	Approved: WB (0.2 - 1 µg/mL) Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



Image 1.

 Copyright antibodies-online. All rights reserved.