antibodies - online.com







anti-CPNE9 antibody (AA 359-408)



Image



()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Purification:

Quantity:	100 μL	
Target:	CPNE9	
Binding Specificity:	AA 359-408	
Reactivity:	Human, Mouse, Rat, Cow, Dog, Guinea Pig, Horse, Rabbit, Pig, Bat, Monkey	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CPNE9 antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	Synthetic peptide located between aa359-408 of human CPNE9 (Q8IYJ1, NP_705899). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Galago, Marmoset, Mouse, Rat, Elephant, Dog, Bovine, Bat, Rabbit, Horse, Pig, Opossum, Guinea pig, Platypus (100%), Turkey, Zebra finch (85%).	
Immunogen:	identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Galago, Marmoset, Mouse, Rat, Elephant, Dog, Bovine, Bat, Rabbit, Horse, Pig, Opossum, Guinea pig, Platypus	
Immunogen: Specificity:	identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Galago, Marmoset, Mouse, Rat, Elephant, Dog, Bovine, Bat, Rabbit, Horse, Pig, Opossum, Guinea pig, Platypus (100%), Turkey, Zebra finch (85%).	

pig (100%).

Immunoaffinity purified

Target Details

Target:	CPNE9
Alternative Name:	CPNE9 (CPNE9 Products)
Background:	Name/Gene ID: CPNE9
	Synonyms: CPNE9, Copine family member IX, Copine-9, KIAA4217, Copine IX, Copine-like protein
Gene ID:	151835
NCBI Accession:	NP_705899
UniProt:	Q8IYJ1

Application Details

Application Notes:	Approved: WB (0.2 - 1 μg/mL)
	Usage: Western Blot: Suggested dilution at 1 μ g/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only
Haradha a	

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.




Image 1.