

Datasheet for ABIN6746440  
**anti-RGL3 antibody (AA 338-387)**



[Go to Product page](#)

1 Image

1 Publication

## Overview

Quantity:	100 µL
Target:	RGL3
Binding Specificity:	AA 338-387
Reactivity:	Human, Dog, Horse, Pig, Bat, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RGL3 antibody is un-conjugated
Application:	Western Blotting (WB)

## Product Details

Immunogen:	Synthetic peptide located between aa338-387 of human RGL3 (Q3MIN7, NP_001030300). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Galago, Marmoset, Elephant, Panda, Dog, Bat, Horse, Pig, Platypus (100%), Mouse, Rat, Bovine, Guinea pig (92%), Opossum, Xenopus (85%).  Type of Immunogen: Synthetic peptide
Specificity:	Human RGL3
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Dog, Horse, Pig (100%) Mouse, Rat, Bovine, Guinea pig (92%).
Purification:	Immunoaffinity purified

## Target Details

---

Target:	RGL3
Alternative Name:	RGL3 ( <a href="#">RGL3 Products</a> )
Background:	Name/Gene ID: RGL3  Synonyms: RGL3, RaIGDS-like 3
Gene ID:	57139
NCBI Accession:	<a href="#">NP_001030300</a>
UniProt:	<a href="#">Q3MIN7</a>

## Application Details

---

Application Notes:	Approved: WB (0.2 - 1 µg/mL)  Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

## Handling

---


Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C, -20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)  Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

## Publications

---

Product cited in:	Guo, Srinivasula, Druilhe, Fernandes-Alnemri, Alnemri: "Caspase-2 induces apoptosis by
-------------------	--

releasing proapoptotic proteins from mitochondria." in: **The Journal of biological chemistry**,  
Vol. 277, Issue 16, pp. 13430-7, (2002) ([PubMed](#)).



**Image 1.**