# antibodies -online.com





# anti-RCC2 antibody (AA 108-157)



Image



Go to Product page

$\sim$				
	11/6	٦r١	/10	۱۸.

Quantity:	100 μL	
Target:	RCC2	
Binding Specificity:	AA 108-157	
Reactivity:	Human, Mouse, Pig, Rat, Dog, Horse, Cow, Guinea Pig, Rabbit, Bat, Chicken, Monkey, Xenopus laevis	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This RCC2 antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	Synthetic peptide located between aa108-157 of mouse Rcc2 (Q8BK67, NP_776292). Percent	
Immunogen:	Synthetic peptide located between aa108-157 of mouse Rcc2 (Q8BK67, NP_776292). Percent identity by BLAST analysis: Human, Gorilla, Gibbon, Galago, Marmoset, Mouse, Rat, Elephant,	
Immunogen:		
Immunogen:	identity by BLAST analysis: Human, Gorilla, Gibbon, Galago, Marmoset, Mouse, Rat, Elephant,	
Immunogen:	identity by BLAST analysis: Human, Gorilla, Gibbon, Galago, Marmoset, Mouse, Rat, Elephant, Dog, Bovine, Bat, Rabbit, Horse, Pig, Opossum, Guinea pig, Chicken, Xenopus (100%), Turkey	
Immunogen:  Specificity:	identity by BLAST analysis: Human, Gorilla, Gibbon, Galago, Marmoset, Mouse, Rat, Elephant, Dog, Bovine, Bat, Rabbit, Horse, Pig, Opossum, Guinea pig, Chicken, Xenopus (100%), Turkey (93%), Zebrafish (92%), Salmon, Stickleback (85%).	
	identity by BLAST analysis: Human, Gorilla, Gibbon, Galago, Marmoset, Mouse, Rat, Elephant, Dog, Bovine, Bat, Rabbit, Horse, Pig, Opossum, Guinea pig, Chicken, Xenopus (100%), Turkey (93%), Zebrafish (92%), Salmon, Stickleback (85%).  Type of Immunogen: Synthetic peptide	
Specificity:	identity by BLAST analysis: Human, Gorilla, Gibbon, Galago, Marmoset, Mouse, Rat, Elephant, Dog, Bovine, Bat, Rabbit, Horse, Pig, Opossum, Guinea pig, Chicken, Xenopus (100%), Turkey (93%), Zebrafish (92%), Salmon, Stickleback (85%).  Type of Immunogen: Synthetic peptide  Mouse RCC2	

#### Target Details

Target:	RCC2
Alternative Name:	RCC2 (RCC2 Products)
Background:	Name/Gene ID: RCC2
	Synonyms: RCC2, KIAA1470, Protein RCC2, RCC1-like protein TD-60, TD-60, TD60
Gene ID:	Synonyms: RCC2, KIAA1470, Protein RCC2, RCC1-like protein TD-60, TD-60, TD60 55920
Gene ID:  NCBI Accession:	

## **Application Details**

Application Notes:	Approved: WB (1 μg/mL)
	Usage: Western Blot: Suggested dilution at 1 $\mu$ g/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Mouse
Restrictions:	For Research Use only

## Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)
	Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.




Image 1.