

Datasheet for ABIN6746622
anti-MANF antibody (AA 103-152)[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	MANF
Binding Specificity:	AA 103-152
Reactivity:	Human, Mouse, Rat, Cow, Horse, Rabbit, Guinea Pig, Zebrafish (Danio rerio), Monkey, Pig, Bat, Chicken
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MANF antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide located between aa103-152 of human MANF (A8K878, NP_006001). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Galago, Marmoset, Mouse, Rat, Elephant, Bovine, Bat, Rabbit, Horse, Pig, Opossum, Guinea pig, Turkey, Zebra finch, Chicken, Platypus, Lizard, Smelt, Stickleback, Zebrafish (100%), Panda, Dog, Xenopus, Salmon, Drosophila (92%), Beetle (85%). Type of Immunogen: Synthetic peptide
Specificity:	Human MANF / ARMET
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat, Bovine, Rabbit, Horse, Pig, Guinea pig, Chicken, Zebrafish (100%).

Product Details

Purification: Immunoaffinity purified

Target Details

Target: MANF

Alternative Name: MANF / ARMET ([MANF Products](#))

Background: Name/Gene ID: MANF

Synonyms: MANF, ARP, ARMET, Arginine-rich protein, Protein ARMET

Gene ID: 7873

NCBI Accession: [NP_006001](#)

UniProt: [P55145](#)

Application Details

Application Notes: Approved: WB (0.2 - 1 µg/mL)

Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.

Comment: Target Species of Antibody: Human

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: Distilled water

Concentration: Lot specific

Buffer: Lyophilized from PBS with 2 % sucrose

Handling Advice: Avoid repeat freeze-thaw cycles.

Storage: 4 °C, -20 °C

Storage Comment: Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.




Image 1.