## antibodies -online.com





## anti-RAB8B antibody (AA 104-153)





Go to Product page

$\sim$					
	1//6	r	<b>V</b> I	$\Theta$	Λ

Quantity:	100 μL		
Target:	RAB8B		
Binding Specificity:	AA 104-153		
Reactivity:	Human, Mouse, Rat, Cow, Dog, Guinea Pig, Horse, Rabbit, Monkey, Zebrafish (Danio rerio), Hamster, Pig, Bat		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This RAB8B antibody is un-conjugated		
Application:	Western Blotting (WB)		
Product Details			
lmmunogen:	Synthetic peptide located between aa104-153 of human RAB8B (Q92930, NP_057614). Percendentity by BLAST analysis: Human, Chimpanzee, Gorilla, Orangutan, Gibbon, Monkey, Galago, Marmoset, Mouse, Rat, Hamster, Elephant, Panda, Dog, Bovine, Bat, Rabbit, Horse, Pig, Opossum, Guinea pig, Platypus, Zebrafish (100%), Sheep (92%), Turkey, Zebra finch, Chicken, Xenopus, Salmon, Drosophila, Beetle (85%).		
	Type of Immunogen: Synthetic peptide		
Specificity:	Human RAB8B		
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat, Dog, Bovine, Pig, Guinea pig, Zebrafish		

(100%) Chicken, Xenopus (85%).

## **Product Details** Purification: Immunoaffinity purified **Target Details** Target: RAB8B Alternative Name RAB8B (RAB8B Products) Background: Name/Gene ID: RAB8B Family: Ras GTPase superfamily IPR001806 Synonyms: RAB8B, RAB-8b protein, Ras-related protein Rab-8B Gene ID: 51762 NCBI Accession: NP\_057614 UniProt: Q92930 Pathways: Positive Regulation of Peptide Hormone Secretion, Cell-Cell Junction Organization **Application Details** Approved: WB (0.2 - 1 µg/mL) **Application Notes:** Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody. Comment: Target Species of Antibody: Human Restrictions: For Research Use only Handling Lyophilized Format: Reconstitution: Distilled water Concentration: Lot specific Buffer: Lyophilized from PBS with 2 % sucrose Handling Advice: Avoid repeat freeze-thaw cycles. Storage: 4 °C,-20 °C

Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long

Storage Comment:

term use (up to 1 year)

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

## **Images**




Image 1.