# antibodies .- online.com







# anti-FAM126A antibody (AA 342-391)



Image



| $\sim$ |     |   |    |   |            |   |
|--------|-----|---|----|---|------------|---|
|        | 1// | Д | r۱ | 1 | <b>Θ</b> 1 | ٨ |

| Quantity:             | 100 μL  |  |
|-----------------------|---|--|
| Target:               | FAM126A   |  |
| Binding Specificity:  | AA 342-391  |  |
| Reactivity:           | Human, Mouse, Cow, Dog, Rat   |  |
| Host:                 | Rabbit  |  |
| Clonality:            | Polyclonal  |  |
| Conjugate:            | This FAM126A antibody is un-conjugated  |  |
| Application:          | Western Blotting (WB)   |  |
| Product Details       |   |  |
| Immunogen:            | Synthetic peptide located between aa342-391 of human FAM126A (Q9BYI3, NP_115970).   |  |
|                       | Percent identity by BLAST analysis: Human, Gibbon (100%), Monkey, Galago, Marmoset, |  |
|                       | Elephant, Guinea pig (92%), Rabbit, Horse (85%), Mouse, Rat (84%).                  |  |
|                       | Type of Immunogen: Synthetic peptide  |  |
| Specificity:          | Human FAM126A   |  |
| Predicted Reactivity: | Percent identity by BLAST analysis: Mouse, Rat (84%).                               |  |
| Purification:         | Immunoaffinity purified   |  |
| Target Details        |   |  |
| Target:               | FAM126A   |  |

#### **Target Details**

| Alternative Name: | FAM126A / HCC (FAM126A Products)   |  |
|-------------------|--|--|
| Background:       | Name/Gene ID: FAM126A  |  |
|                   | Synonyms: FAM126A, Down regulated by Ctnnb1, a, HCC, HYCC1, HLD5, Hyccin, Protein FAM126A, DRCTNNB1A |  |
| Gene ID:          | 84668  |  |
| NCBI Accession:   | NP_115970  |  |
| UniProt:          | Q9BYI3   |  |

### **Application Details**

| Application Notes: | Approved: WB (0.2 - 1 μg/mL)   |
|--------------------|--|
|                    | Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody. |
| Comment:           | Target Species of Antibody: Human  |
| Restrictions:      | For Research Use only  |

## Handling

| Format:          | Lyophilized  |
|------------------|--|
| Reconstitution:  | Distilled water  |
| Concentration:   | Lot specific   |
| Buffer:          | Lyophilized from PBS with 2 % sucrose  |
| Handling Advice: | Avoid repeat freeze-thaw cycles.   |
| Storage:         | 4 °C,-20 °C  |
| Storage Comment: | Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long |
|                  | term use (up to 1 year)  |
|                  | Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.                                  |




Image 1.