

Datasheet for ABIN6746903

anti-FAM120C antibody (AA 358-407)



[Go to Product page](#)

1 Image

Overview

| | |
|----------------------|--|
| Quantity: | 100 µL |
| Target: | FAM120C |
| Binding Specificity: | AA 358-407 |
| Reactivity: | Human, Rat, Mouse, Rabbit, Zebrafish (Danio rerio), Cow, Pig, Bat, Hamster, Monkey |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This FAM120C antibody is un-conjugated |
| Application: | Western Blotting (WB) |

Product Details

| | |
|-----------------------|--|
| Immunogen: | <p>Synthetic peptide located between aa358-407 of human FAM120C (Q9NX05, NP_060318).</p> <p>Percent identity by BLAST analysis: Human, Chimpanzee, Monkey, Galago, Marmoset, Mouse, Rat, Hamster, Bovine, Bat, Rabbit, Pig, Zebrafish (100%), Dog, Platypus, Lizard, Xenopus (92%), Stickleback (85%).</p> <p>Type of Immunogen: Synthetic peptide</p> |
| Specificity: | Human FAM120C |
| Predicted Reactivity: | Percent identity by BLAST analysis: Human, Mouse, Rat, Bovine, Rabbit, Pig, Zebrafish (100%) Dog (92%). |
| Purification: | Immunoaffinity purified |

Target Details

| | |
|-------------------|--|
| Target: | FAM120C |
| Alternative Name: | FAM120C (FAM120C Products) |
| Background: | Name/Gene ID: FAM120C Synonyms: FAM120C, CXorf17, ORF34, Protein FAM120C, Tumor antigen BJ-HCC-21 |
| Gene ID: | 54954 |
| NCBI Accession: | NP_060318 |
| UniProt: | Q9NX05 |

Application Details

| | |
|--------------------|--|
| Application Notes: | Approved: WB (1 µg/mL) Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody. |
| Comment: | Target Species of Antibody: Human |
| Restrictions: | For Research Use only |

Handling

| | |
|------------------|---|
| Format: | Lyophilized |
| Reconstitution: | Distilled water |
| Concentration: | Lot specific |
| Buffer: | Lyophilized from PBS with 2 % sucrose |
| Handling Advice: | Avoid repeat freeze-thaw cycles. |
| Storage: | 4 °C, -20 °C |
| Storage Comment: | Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles. |




Image 1.