antibodies - online.com







anti-RYBP antibody (AA 71-120)

Images



Overview

Quantity:	100 μL
Target:	RYBP
Binding Specificity:	AA 71-120
Reactivity:	Human, Rat, Cow, Dog, Guinea Pig, Horse, Rabbit, Monkey, Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RYBP antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (IHC)

Product Details

Brand:	IHC-plus™
Immunogen:	Synthetic peptide located between aa71-120 of human RYBP (Q8N488, NP_036366). Percent
	identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Marmoset, Rat, Elephant, Dog,
	Bovine, Rabbit, Horse, Pig, Guinea pig (100%), Mouse (92%), Opossum, Turkey, Zebra finch,
	Chicken (85%).
	Type of Immunogen: Synthetic peptide
Specificity:	Human RYBP
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Dog, Bovine, Rabbit, Horse, Pig, Guinea pig (100%)
	Mouse, Rat (92%) Chicken (85%).

Product Details Purification: Immunoaffinity purified Target Details **RYBP** Target: Alternative Name RYBP (RYBP Products) Background: Name/Gene ID: RYBP Family: Apoptosis Synonyms: RYBP, AAP1, APAP-1, Apoptin-associating protein 1, DED-associated factor, DEDAF, Ring1 interactor RYBP, RING1 and YY1 binding protein, YEAF1, RING1 and YY1-binding protein Gene ID: 23429 NCBI Accession: NP_036366 UniProt: Q8N488 **Application Details** Application Notes: Approved: IHC, IHC-P (5 µg/mL), WB (0.2 - 1 µg/mL) Usage: Western Blot: Suggested dilution at 1 μ g/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody. Comment: Target Species of Antibody: Human Restrictions: For Research Use only Handling Format: Lyophilized Reconstitution: Distilled water Concentration: Lot specific Buffer: Lyophilized from PBS with 2 % sucrose Handling Advice: Avoid repeat freeze-thaw cycles. 4 °C,-20 °C Storage:


Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long

Storage Comment:

term use (up to 1 year)


Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

Images



Immunohistochemistry (Formalin-fixed Paraffin-embedded Sections)

Image 1. Human Placenta: Formalin-Fixed, Paraffin-Embedded (FFPE)



Immunohistochemistry

Image 2. Anti-RYBP antibody IHC of human placenta. Immunohistochemistry of formalin-fixed, paraffinembedded tissue after heat-induced antigen retrieval. Antibody concentration 5 ug/ml. This image was taken for the unconjugated form of this product. Other fo ...