antibodies -online.com





anti-HNRNPC antibody (C-Term)

2 Images



Go to Product page

Overview

Quantity:	100 μL
Target:	HNRNPC
Binding Specificity:	C-Term
Reactivity:	Human, Rabbit, Cow, Dog, Pig, Horse, Monkey, Goat, Guinea Pig, Hamster
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HNRNPC antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p))

Product Details

Brand:	IHC-plus [™]
Immunogen:	Synthetic peptide from C-Terminus of human HNRNPC (P07910, NP_112604). Percent identity
	by BLAST analysis: Human, Chimpanzee, Gorilla, Orangutan, Monkey, Marmoset, Goat,
	Hamster, Panda, Dog, Bovine, Rabbit, Horse, Pig, Opossum, Guinea pig, Platypus (100%),
	Gibbon, Mouse, Rat (92%), Galago, Elephant (84%).
	Type of Immunogen: Synthetic peptide
Specificity:	Human HNRNPC / HNRPC
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Dog, Bovine, Goat (100%) Rat (92%).
Purification:	Immunoaffinity purified

Target Details


Target:	HNRNPC
Alternative Name:	HNRNPC / HNRNP C (HNRNPC Products)
Background:	Name/Gene ID: HNRNPC
	Synonyms: HNRNPC, HNRPC, HnRNP C1/C2, HNRNP
Gene ID:	Synonyms: HNRNPC, HNRPC, HNRNP C1/C2, HNRNP 3183
Gene ID: NCBI Accession:	

Application Details

Application Notes:	Approved: IHC, IHC-P (5 μg/mL), WB (0.2 - 1 μg/mL)
	Usage: Western Blot: Suggested dilution at 1 μ g/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only


Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long
	term use (up to 1 year)
	Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



Immunohistochemistry (Formalin-fixed Paraffin-embedded Sections)

Image 1. Human Breast: Formalin-Fixed, Paraffin-Embedded (FFPE)



Immunohistochemistry

Image 2. Anti-HNRNPC / HNRPC antibody IHC of human breast. Immunohistochemistry of formalin-fixed, paraffinembedded tissue after heat-induced antigen retrieval. Antibody concentration 5 ug/ml. This image was taken for the unconjugated form of this product. ...