antibodies - online.com







anti-HNRNPM antibody (N-Term)

Images



Overview

Quantity:	100 μL
Target:	HNRNPM
Binding Specificity:	N-Term
Reactivity:	Human, Cow, Pig, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HNRNPM antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p))

Product Details

Brand:	IHC-plus™
Immunogen:	Synthetic peptide from N-Terminus of human HNRNPM (P52272, NP_112480). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Marmoset, Bovine, Pig (100%), Galago, Elephant, Dog, Turkey, Chicken (92%), Mouse, Rat, Horse (91%), Opossum (85%).
	Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human HNRNPM / HNRPM
Predicted Reactivity:	Percent identity by BLAST analysis: Human (100%) Mouse, Rat (91%).

Product Details Purification: Immunoaffinity purified Target Details Target: **HNRNPM** Alternative Name HNRPM / HNRNPM (HNRNPM Products) Background: Name/Gene ID: HNRNPM Synonyms: HNRNPM, CEA receptor, CEAR, HnRNA-binding protein M4, HNRNPM4, HNRPM4, N-acetylglucosamine receptor 1, NAGR1, HnRNP M, HNRPM, HTGR1 Gene ID: 4670 NCBI Accession: NP_112480 UniProt: P52272 **Application Details** Approved: IHC, IHC-P (5 µg/mL), WB **Application Notes:** Usage: ELISA titer using peptide based assay: 1:312500. Western Blot: Suggested dilution at 0.5 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1:50000 - 100000 as second antibody. Comment: Target Species of Antibody: Human Restrictions: For Research Use only Handling Format: Lyophilized Reconstitution: Distilled Water. Concentration: Lot specific Buffer: Lyophilized from PBS with 2 % sucrose Handling Advice: Avoid repeat freeze-thaw cycles. 4 °C,-20 °C Storage:


Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long

Storage Comment:

term use (up to 1 year)


Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

Images



Immunohistochemistry

Image 1. Anti-HNRNPM / HNRPM antibody IHC of human prostate. Immunohistochemistry of formalin-fixed, paraffinembedded tissue after heat-induced antigen retrieval. Antibody concentration 5 ug/ml. This image was taken for the unconjugated form of this product ...



Immunohistochemistry (Formalin-fixed Paraffin-embedded Sections)

Image 2. Human Prostate: Formalin-Fixed, Paraffin-Embedded (FFPE)