

Datasheet for ABIN6747183  
**anti-HNRNPH1 antibody (AA 360-409)**[Go to Product page](#)

## 2 Images

## Overview

Quantity:	100 µL
Target:	HNRNPH1
Binding Specificity:	AA 360-409
Reactivity:	Human, Mouse, Rat, Cow, Rabbit, Dog, Guinea Pig, Horse, Pig, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HNRNPH1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

## Product Details

Brand:	IHC-plus™
Immunogen:	Synthetic peptide located between aa360-409 of human HNRNPH1 (P31943, NP_005511). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Monkey, Galago, Marmoset, Mouse, Rat, Elephant, Dog, Bovine, Rabbit, Horse, Pig, Opossum, Guinea pig (100%), Orangutan, Gibbon, Hamster, Bat (84%).  Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human HNRNPH1 / hnRNP H
Predicted Reactivity:	Percent identity by BLAST analysis: Rat (100%).

## Product Details

Purification: Immunoaffinity purified

## Target Details

Target: HNRNPH1

Alternative Name: HNRNPH1 / hnRNP H ([HNRNPH1 Products](#))

Background: Name/Gene ID: HNRNPH1

Synonyms: HNRNPH1, HNRPH1, HnRNPH, HnRNP H, HNRPH

Gene ID: 3187

NCBI Accession: [NP\\_005511](#)

UniProt: [P31943](#)

## Application Details

Application Notes: Approved: IHC, IHC-P (5 µg/mL), WB (0.2 - 1 µg/mL)

Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA titer in peptide based assay: 1:62500.

Comment: Target Species of Antibody: Human

Restrictions: For Research Use only

## Handling

Format: Lyophilized

Reconstitution: Distilled water

Concentration: Lot specific


Buffer: Lyophilized from PBS with 2 % sucrose

Handling Advice: Avoid repeat freeze-thaw cycles.

Storage: 4 °C, -20 °C


Storage Comment: Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



### Immunohistochemistry

**Image 1.** Anti-HNRNP H / hnRNP H antibody IHC of human testis. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 5 ug/ml. This image was taken for the unconjugated form of this product ...



### Immunohistochemistry (Formalin-fixed Paraffin-embedded Sections)

**Image 2.** Human Testis: Formalin-Fixed, Paraffin-Embedded (FFPE)