Datasheet for ABIN6747215

# anti-TRIM36 antibody (AA 166-215)

Go to Product page

## 1 Image

## Overview

| | |
|---|---|
| Quantity: | 100 µL |
| Target: | TRIM36 |
| Binding Specificity: | AA 166-215 |
| Reactivity: | Human, Mouse, Rat, Cow, Dog, Guinea Pig, Horse, Rabbit, Zebrafish (Danio rerio), Monkey, Bat, Pig |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This TRIM36 antibody is un-conjugated |
| Application: | Western Blotting (WB) |

## Product Details

| | |
|---|---|
| Immunogen: | Synthetic peptide located between aa166-215 of rat Trim36 (NP_001099617). Percent identity by BLAST analysis: Human, Gorilla, Gibbon, Monkey, Galago, Marmoset, Mouse, Rat, Elephant, Dog, Bovine, Bat, Rabbit, Horse, Pig, Opossum, Guinea pig, Stickleback, Zebrafish (100%), Chicken (91%), Xenopus (85%), Turkey (83%).<br><br>Type of Immunogen: Synthetic peptide |
| Specificity: | Rat TRIM36 |
| Predicted Reactivity: | Percent identity by BLAST analysis: Human, Mouse, Rat, Dog, Bovine, Rabbit, Pig, Guinea pig, Zebrafish (100%) Chicken (91%) Xenopus (85%). |
| Purification: | Immunoaffinity purified |

Copyright antibodies-online. All rights reserved.

## Target Details

| | |
|---|---|
| Target: | TRIM36 |
| Alternative Name: | TRIM36 (TRIM36 Products) |
| Background: | Name/Gene ID: TRIM36<br>Family: Tripartite Motif<br><br>Synonyms: TRIM36, HAPRIN, Tripartite motif containing 36, RING finger protein 98, RNF98, Zinc-binding protein Rbcc728, RBCC728, Tripartite motif protein 36, Tripartite motif-containing 36 |
| Gene ID: | 55521 |
| NCBI Accession: | NP_001099617 |
| UniProt: | Q9NQ86 |

## Application Details

| | |
|---|---|
| Application Notes: | Optimal working dilution should be determined by the investigator. |
| Comment: | Target Species of Antibody: Rat |
| Restrictions: | For Research Use only |

## Handling

| | |
|---|---|
| Format: | Lyophilized |
| Reconstitution: | Distilled water |
| Concentration: | Lot specific |
| Buffer: | Lyophilized from PBS with 2 % sucrose |
| Handling Advice: | Avoid repeat freeze-thaw cycles. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)<br>Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles. |

Copyright antibodies-online. All rights reserved.




**Image 1.**

 Copyright antibodies-online. All rights reserved.