

Datasheet for ABIN6747352  
**anti-SPOCK2/Testican 2 antibody (AA 44-93)**



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	SPOCK2/Testican 2 (SPOCK2)
Binding Specificity:	AA 44-93
Reactivity:	Human, Mouse, Rat, Cow, Guinea Pig, Horse, Dog, Monkey, Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SPOCK2/Testican 2 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide located between aa44-93 of human SPOCK2 (Q92563, NP_055582). Percent identity by BLAST analysis: Human, Gorilla, Gibbon, Monkey, Galago, Marmoset, Mouse, Rat, Elephant, Dog, Bovine, Horse, Pig, Guinea pig, Platypus (100%), Bat, Rabbit, Opossum, Xenopus (92%).  Type of Immunogen: Synthetic peptide
Specificity:	Human SPOCK2
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat, Dog, Bovine, Horse, Pig, Guinea pig (100%) Rabbit, Xenopus (92%).
Purification:	Immunoaffinity purified

## Target Details

---

Target:	SPOCK2/Testican 2 (SPOCK2)
Alternative Name:	SPOCK2 ( <a href="#">SPOCK2 Products</a> )
Background:	Name/Gene ID: SPOCK2  Synonyms: SPOCK2, Testican-2, TICN2, KIAA0275
Gene ID:	9806
NCBI Accession:	<a href="#">NP_055582</a>
UniProt:	<a href="#">Q92563</a>
Pathways:	<a href="#">Glycosaminoglycan Metabolic Process</a>

## Application Details


---

Application Notes:	Optimal working dilution should be determined by the investigator.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

## Handling

---

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)  Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



**Image 1.**