

Datasheet for ABIN6747712
anti-HSF2 antibody (AA 48-97)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	HSF2
Binding Specificity:	AA 48-97
Reactivity:	Human, Rat, Rabbit, Cow, Guinea Pig, Monkey, Pig, Horse, Zebrafish (Danio rerio), Bat, Xenopus laevis
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HSF2 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide located between aa48-97 of human HSF2 (Q03933-2, NP_001129036). Percent identity by BLAST analysis: Human, Chimpanzee, Gibbon, Monkey, Galago, Marmoset, Rat, Panda, Bovine, Bat, Rabbit, Horse, Pig, Opossum, Guinea pig, Xenopus, Trout, Salmon, Zebrafish (100%), Mouse, Elephant, Platypus, Stickleback (92%), Turkey, Chicken (85%). Type of Immunogen: Synthetic peptide
Specificity:	Human HSF2
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Rat, Bovine, Rabbit, Pig, Guinea pig, Xenopus, Zebrafish (100%) Mouse (92%) Chicken (85%).
Purification:	Immunoaffinity purified

Target Details

Target:	HSF2
Alternative Name:	HSF2 (HSF2 Products)
Background:	Name/Gene ID: HSF2 Synonyms: HSF2, HSTF 2, Heat shock factor protein 2, HSF 2, HSTF2
Gene ID:	3298
NCBI Accession:	NP_001129036
UniProt:	Q03933

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C, -20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.




Image 1.