

Datasheet for ABIN674816

anti-IGF2BP3 antibody (AA 101-230) (Biotin)



Overview

Quantity:	100 μL
Target:	IGF2BP3
Binding Specificity:	AA 101-230
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IGF2BP3 antibody is conjugated to Biotin
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human Insulin-like growth factor 2 mRNA-binding protein 3
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Horse
Purification:	Purified by Protein A.
Target Details	
Target:	IGF2BP3

Target Details

· ·	
Alternative Name:	IGF2BP3 (IGF2BP3 Products)
Background:	Synonyms: KOC, CT98, IMP3, KOC1, IMP-3, VICKZ3, Insulin-like growth factor 2 mRNA-binding
	protein 3, IGF2 mRNA-binding protein 3, IGF-II mRNA-binding protein 3, KH domain-containing
	protein overexpressed in cancer, hKOC, VICKZ family member 3, IGF2BP3
	Background: RNA-binding factor that may recruits target transcripts to cytoplasmic protein-
	RNA complexes (mRNPs). This transcript 'caging' into mRNPs allows mRNA transport and
	transient storage. It also modulates the rate and location at which target transcripts encounter
	the translational apparatus and shields them from endonuclease attacks or microRNA-
	mediated degradation. Binds to the 3'-UTR of CD44 mRNA and stabilizes it, hence promotes cel
	adhesion and invadopodia formation in cancer cells. Binds to beta-actin/ACTB and MYC
	transcripts. Binds to the 5'-UTR of the insulin-like growth factor 2 (IGF2) mRNAs.
Gene ID:	10643
UniProt:	000425
Application Details	
Application Notes:	WB 1:300-5000
	IHC-P 1:200-400
	IHC-F 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months