



[Go to Product page](#)

Datasheet for ABIN6748196
anti-TNFRSF10A antibody (AA 397-446)

1 Image

Overview

| | |
|----------------------|--|
| Quantity: | 100 µL |
| Target: | TNFRSF10A |
| Binding Specificity: | AA 397-446 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This TNFRSF10A antibody is un-conjugated |
| Application: | Western Blotting (WB) |

Product Details

| | |
|-----------------------|---|
| Immunogen: | Synthetic peptide located between aa397-446 of human TNFRSF10A (O00220, NP_003835). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla (100%), Gibbon (93%), Monkey (80%). Type of Immunogen: Synthetic peptide |
| Specificity: | Human TNFRSF10A / DR4 |
| Predicted Reactivity: | Percent identity by BLAST analysis: Human (100%). |
| Purification: | Immunoaffinity purified |

Target Details

| | |
|---------|-----------|
| Target: | TNFRSF10A |
|---------|-----------|

Target Details

| | |
|-------------------|--|
| Alternative Name: | TNFRSF10A / DR4 (TNFRSF10A Products) |
| Background: | Name/Gene ID: TNFRSF10A Family: TNF Receptor Synonyms: TNFRSF10A, APO2, CD261, DR4, TRAIL-R1, TRAILR-1, TRAILR1, TRAIL receptor 1, CD261 antigen, Cytotoxic TRAIL receptor, Death receptor 4 |
| Gene ID: | 8797 |
| NCBI Accession: | NP_003835 |
| Pathways: | Apoptosis , Positive Regulation of Endopeptidase Activity |

Application Details

| | |
|--------------------|--|
| Application Notes: | Optimal working dilution should be determined by the investigator. |
| Comment: | Target Species of Antibody: Human |
| Restrictions: | For Research Use only |

Handling

| | |
|------------------|---|
| Format: | Lyophilized |
| Reconstitution: | Distilled water |
| Concentration: | Lot specific |
| Buffer: | Lyophilized from PBS with 2 % sucrose |
| Handling Advice: | Avoid repeat freeze-thaw cycles. |
| Storage: | 4 °C, -20 °C |
| Storage Comment: | Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles. |



Image 1.