antibodies -online.com







anti-APOH antibody (AA 143-192)

Images



Overview

Quantity:	100 μL
Target:	АРОН
Binding Specificity:	AA 143-192
Reactivity:	Human, Mouse, Rabbit, Guinea Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This APOH antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p))

Product Details

Brand:	IHC-plus™
Immunogen:	Synthetic peptide located between aa143-192 of human APOH (P02749, NP_000033). Percent
	identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon (100%), Marmoset (92%),
	Elephant (90%), Monkey, Mouse, Guinea pig (85%).
	Type of Immunogen: Synthetic peptide
Specificity:	Human APOH / Apolipoprotein H
Predicted Reactivity:	Percent identity by BLAST analysis: Human (100%) Mouse, Guinea pig (85%).
Purification:	Immunoaffinity purified

Target Details


Target:	АРОН
Alternative Name:	APOH / Apolipoprotein H (APOH Products)
Background:	Name/Gene ID: APOH
	Synonyms: APOH, Apo-H, Anticardiolipin cofactor, Apolipoprotein H, B2GP1, B2GPI, Beta-2-glycoprotein I, APC inhibitor, Beta(2)GPI, BG, B2G1, Beta-2-glycoprotein 1
Gene ID:	350
NCBI Accession:	NP_000033
UniProt:	P02749

Application Details

Application Notes:	Approved: IHC, IHC-P (5 μg/mL), WB (0.2 - 1 μg/mL)
	Usage: Western Blot: Suggested dilution at 1 μ g/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only


Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)
	Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



Immunohistochemistry

Image 1. Anti-APOH / Apolipoprotein H antibody IHC of human tonsil. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 5 ug/ml. This image was taken for the unconjugated form of this ...



Immunohistochemistry

Image 2. Anti-APOH / Apolipoprotein H antibody IHC staining of human tonsil. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody ABIN958956 concentration 5 ug/ml.