



[Go to Product page](#)

Datasheet for ABIN6749698  
**anti-MYCBP antibody (C-Term)**

2 Images

Overview

Quantity:	100 µL
Target:	MYCBP
Binding Specificity:	C-Term
Reactivity:	Human, Guinea Pig, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MYCBP antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Brand:	IHC-plus™
Immunogen:	Synthetic peptide from C-Terminus of human MYCBP (Q99417, NP_036465). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Orangutan, Gibbon, Monkey, Galago, Marmoset, Opossum, Guinea pig (100%), Mouse, Rat, Panda, Dog, Bovine, Rabbit, Horse, Pig, Turkey, Chicken, Platypus (92%).  Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human MYCBP
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Guinea pig (100%) Mouse, Dog, Bovine, Pig,

## Product Details

---

Chicken (92%).

Purification: Immunoaffinity purified

## Target Details

---

Target: MYCBP

Alternative Name: MYCBP ([MYCBP Products](#))

Background: Name/Gene ID: MYCBP

Synonyms: MYCBP, AMY-1, Associate of Myc 1, C-Myc-binding protein, Associate of myc-1, C-myc binding protein, AMY1

Gene ID: 26292

NCBI Accession: [NP\\_036465](#)

UniProt: [Q99417](#)

## Application Details

---

Application Notes: Approved: IHC, IHC-P (5 - 7.5 µg/mL), WB (0.2 - 1 µg/mL)

Comment: Target Species of Antibody: Human

Restrictions: For Research Use only

## Handling

---

Format: Lyophilized

Reconstitution: After adding water, will consist of PBS buffer with 2 % sucrose

Concentration: Lot specific


Buffer: Lyophilized from PBS with 2 % sucrose

Handling Advice: avoid freeze thaw cycles.

Storage: 4 °C, -20 °C


Storage Comment: Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



#### Immunohistochemistry

**Image 1.** Anti-MYCBP antibody IHC of human adrenal. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody dilution 5-7.5 ug/ml. This image was taken for the unconjugated form of this product. Other for ...



#### Immunohistochemistry

**Image 2.** Anti-MYCBP antibody IHC staining of human adrenal. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody ABIN1103155 dilution 38538 ug/ml.